

Safety data sheet

Page: 1/12

BASF Safety data sheet

Date / Revised: 08.11.2016

Product: **Fendona® Pressurised Insecticide**

Version: 1.0

(30660343/SDS_GEN_AU/EN)

Date of print 22.04.2018

1. Substance/preparation and manufacturer/supplier identification

Fendona® Pressurised Insecticide

Use: insecticide

Manufacturer/supplier:

BASF Australia Limited (ABN 62 008 437 867)

Level 12, 28 Freshwater Place Southbank

Victoria 3006, AUSTRALIA

Telephone: +61 3 8855-6600

Telefax number: +61 3 8855-6511

Emergency information:

BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia]

BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

2. Hazard identification

Classification of the substance and mixture:

Aspiration hazard: Cat. 1

Skin corrosion/irritation: Cat. 2

Specific target organ toxicity — single exposure: Cat. 3 (Vapours may cause drowsiness and dizziness.)

Hazardous to the aquatic environment - acute: Cat. 1

Hazardous to the aquatic environment - chronic: Cat. 1

Aerosols: Cat. 2

Label elements and precautionary statement:

Pictogram:



Signal Word:

Danger

Hazard Statement:

Flammable aerosol. Pressurized container: May burst if heated. May be fatal if swallowed and enters airways. Causes skin irritation. May cause drowsiness or dizziness. Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.

Precautionary Statements (Prevention):

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Avoid breathing fume/gas/mist/vapours/spray. Wash contaminated body parts thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves.

Precautionary Statements (Response):

IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. IF ON SKIN (or hair): Wash with plenty of soap and water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell. Do NOT induce vomiting. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Collect spillage.

Precautionary Statements (Storage):

Store in a well-ventilated place. Keep container tightly closed. Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50°C/ 122°F.

Precautionary Statements (Disposal):

Dispose of contents/container to hazardous or special waste collection point.

Other hazards which do not result in classification:

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/information on ingredients

Chemical nature

insecticide

BASF Safety data sheet
Date / Revised: 08.11.2016
Product: **Fendona® Pressurised Insecticide**

Version: 1.0

(30660343/SDS_GEN_AU/EN)

Date of print 22.04.2018

Hazardous ingredients

Alphacypermethrin technical

Content (W/W): 0.05 %
CAS Number: 67375-30-8

Acute Tox.: Cat. 4 (Inhalation - dust)
Acute Tox.: Cat. 3 (oral)
Skin Corr./Irrit.: Cat. 3
STOT SE: Cat. 3 (irr. to respiratory syst.)
STOT RE: Cat. 2
Aquatic Acute: Cat. 1
Aquatic Chronic: Cat. 1
M-factor acute: 1000
M-factor chronic: 1000

Distillates (petroleum), hydrotreated light

Content (W/W): < 90 %
CAS Number: 64742-47-8

Asp. Tox.: Cat. 1
Skin Corr./Irrit.: Cat. 2
STOT SE: Cat. 3 (drowsiness and dizziness)
Aquatic Acute: Cat. 2
Aquatic Chronic: Cat. 2

propan-2-ol

Content (W/W): < 20 %
CAS Number: 67-63-0

Flam. Liq.: Cat. 2
Acute Tox.: Cat. 5 (oral)
Eye Dam./Irrit.: Cat. 2A
STOT SE: Cat. 3 (drowsiness and dizziness)

4. First-Aid Measures

General advice:

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Immediately wash thoroughly with soap and water, seek medical attention.

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention. Do not induce vomiting due to aspiration hazard.

Note to physician:

(30660343/SDS_GEN_AU/EN)

Date of print 22.04.2018

Symptoms: The most important known symptoms and effects are described in the labelling (see section 2) and/or in section 11., Further important symptoms and effects are so far not known.
Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

5. Fire-Fighting Measures

Suitable extinguishing media:
water spray, carbon dioxide, foam, dry powder

Specific hazards:
carbon monoxide, carbon dioxide, hydrogen bromide, hydrogen chloride, hydrogen fluoride, nitrogen oxides
The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:
Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:
In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

6. Accidental Release Measures

Personal precautions:
Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Do not breathe vapour/spray.

Environmental precautions:
Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Methods for cleaning up or taking up:
For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).
For large amounts: Dike spillage. Pump off product.
Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

7. Handling and Storage

Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Avoid all sources of ignition: heat, sparks, open flame. Vapours may form ignitable mixture with air.
Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy. Avoid extreme heat.

Storage

Segregate from foods and animal feeds.

Suitable materials for containers: High density polyethylene (HDPE), Low density polyethylene (LDPE), tinned carbon steel (Tinplate)

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Protect from temperatures above: 50 °C

The packed product must be protected against exceeding the indicated temperature.

8. Exposure controls and personal protection

Components with occupational exposure limits

propan-2-ol, 67-63-0;

TWA value 983 mg/m³ ; 400 ppm (OEL (AU))
STEL value 1,230 mg/m³ ; 500 ppm (OEL (AU))
TWA value 200 ppm (ACGIHTLV)
STEL value 400 ppm (ACGIHTLV)
STEL value 1,230 mg/m³ ; 500 ppm (AU NOEL)
TWA value 983 mg/m³ ; 400 ppm (AU NOEL)
TWA value 983 mg/m³ ; 400 ppm (AU NOEL)
STEL value 1,230 mg/m³ ; 500 ppm (AU NOEL)

Distillates (petroleum), hydrotreated light, 64742-47-8;

TWA value 200 mg/m³ (ACGIHTLV), Non-aerosol
Measured as: total hydrocarbon vapor
Application restricted to conditions in which there are negligible aerosol exposures.
Skin Designation (ACGIHTLV), Non-aerosol
Measured as: total hydrocarbon vapor
The substance can be absorbed through the skin.

Personal protective equipment

Respiratory protection:
Respiratory protection not required.

Hand protection:
nitrile rubber (NBR) - 0.4 mm coating thickness

Eye protection:
Eye protection not required.

Body protection:
Body protection not required.

General safety and hygiene measures:

Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

9. Physical and Chemical Properties

Form: aerosol
 Colour: pale yellow, clear
 Odour: of isopropanol
 Odour threshold: Not determined due to potential health hazard by inhalation.

pH value: approx. 6 - 8
 (approx. 20 °C)

Melting point: -33 °C
 Information applies to the solvent.

Boiling point: 221 - 271 °C
 (1,013.25 hPa)
 Information applies to the solvent.

Information on: propan-2-ol

Flash point: 11.7 °C
 Literature data.

Information on: Distillates (petroleum), hydrotreated light

Flash point: 73 °C (ASTM D93, closed cup)
 Literature data.

 Evaporation rate: not applicable

Lower explosion limit: As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.

Upper explosion limit: As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.

Ignition temperature: 247 °C
 Information applies to the solvent.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

BASF Safety data sheet
Date / Revised: 08.11.2016
Product: **Fendona® Pressurised Insecticide**

Version: 1.0

(30660343/SDS_GEN_AU/EN)

Date of print 22.04.2018

Explosion hazard:	Based on the chemical structure there is no indicating of explosive properties.	
Fire promoting properties:	Based on its structural properties the product is not classified as oxidizing.	
Vapour pressure:	approx. 9 Pa (20 °C) Information applies to the solvent.	(ASTM D323)
Density:	approx. 0.79 g/cm ³ (approx. 20 °C)	
Relative vapour density (air):	not applicable	
Solubility in water:	insoluble	
Partitioning coefficient n-octanol/water (log Pow):	not applicable	
Viscosity, dynamic:	approx. 1.55 mPa.s (40 °C)	

Other Information:

If necessary, information on other physical and chemical parameters is indicated in this section.

10. Stability and Reactivity

Conditions to avoid:

See MSDS section 7 - Handling and storage.

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

Substances to avoid:

strong bases, strong acids, strong oxidizing agents

Hazardous reactions:

No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

11. Toxicological Information

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

Experimental/calculated data:

LD50 rat (oral): > 5,000 mg/kg (OECD Guideline 425)
No mortality was observed.

LC50 rat (by inhalation): > 5.1 mg/l (OECD Guideline 403)
No mortality was observed.

LD50 rat (dermal): > 5,000 mg/kg (OECD Guideline 402)
No mortality was observed.

Irritation

Assessment of irritating effects:
Not irritating to the eyes. Skin contact causes irritation.

Experimental/calculated data:
Skin corrosion/irritation rabbit: (OECD Guideline 404)

Serious eye damage/irritation rabbit: (OECD Guideline 405)

Respiratory/Skin sensitization

Assessment of sensitization:
May cause mild skin sensitization.

Experimental/calculated data:
Buehler test guinea pig: (similar to OECD guideline 406)

Germ cell mutagenicity

Assessment of mutagenicity:
The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:
The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: Distillates (petroleum), hydrotreated light

Assessment of carcinogenicity:

Long-term exposure to highly irritating concentrations resulted in skin tumors in animals. A carcinogenic effect in humans can be excluded after brief skin contact. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Reproductive toxicity

Assessment of reproduction toxicity:
The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

The product contains: Alphacypermethrin technical
May cause paraesthesia.

Specific target organ toxicity (single exposure):**Assessment of STOT single:**

Possible narcotic effects (drowsiness or dizziness).

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)**Assessment of repeated dose toxicity:**

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: alpha-Cypermethrin

Assessment of repeated dose toxicity:

Repeated oral exposure may affect certain organs. Damages the peripheral nerve system.

Aspiration hazard

May also damage the lung at swallowing (aspiration hazard).

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information**Ecotoxicity****Assessment of aquatic toxicity:**

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: α -cypermethrin (ISO); racemate comprising (R)- α -cyano-3-phenoxybenzyl (1S, 3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxy late; (S)- α -cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

Toxicity to fish:

LC50 (96 h) 0.00093 mg/l, Pimephales promelas (OPP 72-1 (EPA-Guideline), Flow through.)

Information on: α -cypermethrin (ISO); racemate comprising (R)- α -cyano-3-phenoxybenzyl (1S, 3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxy late; (S)- α -cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

Aquatic invertebrates:

EC50 (48 h) 0.0003 mg/l, *Daphnia magna* (OECD Guideline 202, part 1)

Information on: α -cypermethrin (ISO); racemate comprising (R)- α -cyano-3-phenoxybenzyl (1S, 3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxy late; (S)- α -cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

Aquatic plants:

EC50 (7 d) > 0.00139 mg/l (growth rate), *Lemna gibba* (OECD Guideline 201)

No observed effect concentration (7 d) > 0.00139 mg/l (growth rate), *Lemna gibba* (OECD guideline 221, static)

EC50 (72 h) > 0.027 mg/l (growth rate), *Anabaena flos-aquae* (OECD Guideline 201)

Mobility

Assessment transport between environmental compartments:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: α -cypermethrin (ISO); racemate comprising (R)- α -cyano-3-phenoxybenzyl (1S, 3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxy late; (S)- α -cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

Assessment transport between environmental compartments:

Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: α -cypermethrin (ISO); racemate comprising (R)- α -cyano-3-phenoxybenzyl (1S, 3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxy late; (S)- α -cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria).

Bioaccumulation potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

BASF Safety data sheet
 Date / Revised: 08.11.2016
 Product: **Fendona® Pressurised Insecticide**

Version: 1.0

(30660343/SDS_GEN_AU/EN)

Date of print 22.04.2018

Information on: α -cypermethrin (ISO); racemate comprising (R)- α -cyano-3-phenoxybenzyl (1S, 3S)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate; (S)- α -cyano-3-phenoxybenzyl (1R, 3R)-3-(2,2-dichlorovinyl)-2,2-dimethylcyclopropanecarboxylate

Bioaccumulation potential:

Bioconcentration factor: 155 - 910 (73 d), Cyprinus carpio (OECD Guideline 305 C)

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

13. Disposal Considerations

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Emptied gas pressure vessels must not be opened.

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Domestic transport:

Hazard class: 2.1
 ID number: UN 1950
 Hazard label: 2.1, EHSM
 Proper shipping name: AEROSOLS (contains PROPAN-2-OL, ALPHA-CYPERMETHRIN)

Further information

IERG Number:49

Sea transport

IMDG

Hazard class: 2.1
 ID number: UN 1950
 Hazard label: 2.1, EHSM
 Marine pollutant: YES
 Proper shipping name: AEROSOLS (contains PROPAN-2-OL, ALPHA-CYPERMETHRIN)

Air transport

IATA/ICAO

Hazard class: 2.1
 ID number: UN 1950
 Hazard label: 2.1
 Proper shipping name: AEROSOLS, FLAMMABLE (contains PROPAN-2-OL, ALPHA-CYPERMETHRIN)

15. Regulatory Information

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Schedule 5

Registration status:

AICS, AU released w/o restriction f. BASF / not listed
APVMA Approval 81056

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.